

InVivoMAb Anti-Human HBEGF (Iv0076)

Summary	
---------	--


Catalog No.	VHJ42901
Clone ID	Iv0076
Host species	Human
Species reactivity	Human
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4.
Concentration	1 mg/ml
Purity	>95% as determined by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG1, kappa
Applications	ELISA, FCM, Neutralization
Target	DTR, DT-R, DTS, HEGFL, HB-EGF, HBEGF, Proheparin-binding EGF-like growth factor, Diphtheria toxin receptor
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	Q99075
Stability and Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at - 80°C long term.
Note	For research use only. Not suitable for clinical or therapeutic use.




AntibodySystem

Recombinant Proteins & Antibodies

Data Image





Flow-cytometry

Flow-cytometry using anti-human HBEGF antibody.HBEGF Transfected SF9 cells were stained with an irrelevant antibody (Blue Histogram) or an anti-human HBEGF antibody monoclonal antibody (Catalog # VHJ42901, Green Histogram) at a concentration of 5 μ g/ml for 30 mins at RT. After washing, bound antibody was detected using a FITC conjugated goat anti-human antibody (Catalog # PHB96441) and cells analysed on a NovoCyte Flow Cytometer.

Flow-cytometry using anti-human HBEGF antibody.PC-3 cells were stained with an irrelevant antibody (Blue Histogram) or an anti-human HBEGF antibody monoclonal antibody (Catalog # VHJ42901, Green Histogram) at a concentration of 5 μ g/ml for 30 mins at RT. After washing, bound antibody was detected using a FITC conjugated goat anti-human antibody (Catalog # PHB96441) and cells analysed on a NovoCyte Flow Cytometer.

