


# Anti-Nipah virus/HeV F/Fusion glycoprotein F0 Polyclonal Antibody

## Summary


---

<b>Catalog No.</b>	PVV08101
<b>Host species</b>	Rabbit
<b>Tested applications</b>	ELISA: 1:4000-1:8000, IHC: 1:50-1:200, WB: 1:1000-1:4000
<b>Species reactivity</b>	Nipah virus(HeV)
<b>Immunogen</b>	E. coli - derived recombinant Nipah virus/HeV F/Fusion glycoprotein F0 (Gly131-Thr546).
<b>Form</b>	Liquid
<b>Storage buffer</b>	0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.
<b>Concentration</b>	1.8 mg/ml
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG
<b>Applications</b>	ELISA, IHC, WB
<b>Target</b>	Fusion glycoprotein F0, Protein F, Fusion glycoprotein F2, Fusion glycoprotein F1, F
<b>Purification</b>	Purified by antigen affinity column.
<b>Stability and Storage</b>	Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 2 to 8°C for frequent use. Store at -20 to -80°C for twelve months from the date of receipt.
<b>Note</b>	For research use only.

## Data Image



Western Blot



Western Blot

Recombinant Protein were subjected to SDS PAGE followed by western blot with Nipah\_F antibody (PVV08101) at 1 $\mu$ g/ml.

Lane 1: Recombinant Nipah virus/HeV F/Fusion glycoprotein F0 Protein([YVV08102](#))

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1  $\mu$ g/mL.

Predict MW: 44 kDa

Observed MW: 44 kDa

Recombinant Protein lysates were subjected to SDS PAGE followed by western blot with F/Fusion glycoprotein F0 antibody (PVV08101) at 1  $\mu$ g/ml.

Lane 1: Recombinant Protein

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1  $\mu$ g/mL.

Predict MW: 48 kDa

Observed MW: 48 kDa