

## Anti-Human BIRC3 Polyclonal Antibody

## Summary

Catalog No. PHG55501

Host species Rabbit

**Tested applications** ELISA: 1:4000-1:8000, IHC: 1:50-1:100, WB: 1:1000-1:4000

Species reactivity Human

Immunogen E. coli - derived recombinant Human BIRC3 (Thr254-Asp419).

Form Liquid

Storage buffer 0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.

**Clonality** Polyclonal

**Isotype** IgG

**Applications** ELISA, IHC, WB

hIAP1, RING finger protein 49, IAP homolog C, RING-type E3 ubiquitin transferase BIRC3, MIHC, Cellular inhibitor of apoptosis 2, API2, C-IAP2,

Target RNF49, BIRC3, Apoptosis inhibitor 2, TNFR2-TRAF-signaling complex

protein 1, Baculoviral IAP repeat-containing protein 3, Inhibitor of

apoptosis protein 1, hIAP-1

**Purification** Purified by antigen affinity column.

Accession Q13489

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store


Stability and Storage at 2 to 8°C for frequent use. Store at -20 to -80°C for twelve months from

the date of receipt.


Note For research use only.



## Data Image



**WESTERN-BLOT** 



Western Blot

Recombinant Protein lysates were subjected to SDS PAGE followed by western blot with BIRC3 antibody (PHG55501) at 1  $\mu$ g/ml.

Lane 1: Recombinant protein

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 µg/mL.

Predict MW: 21 kDa Observed MW: 21 kDa

Various lysates were subjected to SDS PAGE followed by western blot with BIRC3 antibody (PHG55501) at 1  $\mu$ g/ml.

Lane 1: HEK293T Lane 2: A431 Lane 3: H1299 Lane 4: Hela Lane 5: HepG2 Lane 6: Molt-4

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 µg/mL.

Predict MW: 68 kDa Observed MW: 70 kDa







Immunohistochemical

Immunohistochemical analysis of mouse kidney tissue stained for BIRC3 with PHG55501.