

# Anti-Human CD252/TNFSF4 Antibody (SAA1993)

## Summary

---

<b>Catalog No.</b>	FHD58830
<b>Clone ID</b>	SAA1993
<b>Host species</b>	Mouse
<b>Conjugation</b>	Unconjugated
<b>Species reactivity</b>	Human
<b>Form</b>	Liquid
<b>Storage buffer</b>	0.01M PBS, pH 7.4, 0.09% Sodium azide.
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	>95% as determined by SDS-PAGE.
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG1, kappa
<b>Applications</b>	ELISA, FCM
<b>Target</b>	CD252, OX40L, TXGP1, OX40 ligand, Glycoprotein Gp34, TAX transcriptionally-activated glycoprotein 1, TNFSF4, Tumor necrosis factor ligand superfamily member 4
<b>Purification</b>	Protein A/G purified from cell culture supernatant.
<b>Endotoxin level</b>	Please contact with the lab for this information.
<b>Accession</b>	P23510


**Stability and Storage**

Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -80°C long term.

**Note**

For research use only.

**Data Image**

Flow-cytometry

Flow-cytometry using anti-human CD252 antibody. HUVEC cells were stained with an irrelevant antibody (Blue Histogram) or an anti-human CD252 antibody monoclonal antibody (Catalog # FHD58830, Green Histogram) at a concentration of 5 µg/ml for 30 mins at RT. After washing, bound antibody was detected using a FITC conjugated goat anti-mouse antibody (Catalog # PMB96441) and cells analysed on a NovoCyt Flow Cytometer.