Anti-NEU1/Sialidase-1 Polyclonal Antibody

Summary

Catalog No.	PHJ44101
Host species	Rabbit
Tested applications	ELISA: 1:4000-1:8000, IHC: 1:50-1:100, WB: 1:1000-1:4000
Species reactivity	Human, Mouse, Rat
Immunogen	E. coli - derived recombinant Human NEU1/Sialidase-1 (Ala110-Pro262).
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 50% Glycerol, 0.05% Proclin 300.
Clonality	Polyclonal
Isotype	IgG
Applications	ELISA, IHC, WB
Target	Sialidase-1,G9 sialidase,NEU1,N-acetyl-alpha-neuraminidase 1,NANH,Acetylneuraminyl hydrolase,Lysosomal sialidase
Purification	Purified by antigen affinity column.
Accession	Q99519
Stability and Storage	Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 2 to 8°C for frequent use. Store at -20 to -80°C for twelve months from the date of receipt.
Note	For research use only.

Data Image



Western blot

Various lysates were subjected to SDS PAGE followed by western blot with NEU1 / Sialidase-1 antibody (PHJ44101) at 0.31µg/ml.

Lane 1: Hela cell lysate
Lane 2: SH-SY5Y cell lysate
Lane 3: 293T cell lysate

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 µg/mL.

Predict MW: 45 kDa
Observed MW: 45,58 kDa



Immunocytochemistry/ Immunofluorescence

NEU1 / Sialidase-1 in U251 Cell Line.
The U251 cells were fixed with 4% paraformaldehyde (20 min), and then blocked with 5% goat serum for 1h. And the cells were incubated for 2h at 37°C with NEU1 / Sialidase-1 (PHJ44101) at 6.2 µg/ml. The section was then incubated with Goat Anti-Rabbit IgG (Alexa Fluor-488) preabsorbed at 1/100 dilution (Shown in green) for 1 hour at room temperature.Nuclear DNA was labelled with DAPI (shown in blue).



Western Blot

Recombinant Protein lysates were subjected to SDS PAGE followed by western blot with NEU1/Sialidase-1 antibody (PHJ44101) at 1 µg/ml.

Lane 1: Recombinant Protein

Second Ab: Goat Anti-Rabbit IgG H&L Polyclonal antibody, HRP (PTB96431) at 0.1 µg/mL.

Predict MW: 19 kDa
Observed MW: 19 kDa