

Anti-BCL2L1/Bcl-XL Antibody (R1A24)

Summary

Catalog No. RHG13301

Clone ID R1A24

Host species Rabbit

Tested applications FCM: 1:20-1:100, IF: 1:50-1:200, IHC: 1:100-1:200, IP: 1:20-1:50, WB: 1:1000-

1:2000

Species reactivity Human, Mouse, Rat

Form Liquid

Storage buffer 0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.

Concentration 1 mg/ml

Purity >95% by SDS-PAGE.

Clonality Monoclonal

Isotype IqG

Applications FCM, IF, IHC, IP, WB

Target Apoptosis regulator Bcl-X, BLC2L, Bcl-2-like 1 protein bclxl, BCL2L,

BCL2L1, BCLX, Bcl 2 L1

Purification Protein A/G purified from cell culture supernatant.

Endotoxin level Please contact with the lab for this information.

Accession Q07817



Recombinant Proteins & Antibodies


Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Stability and Storage Store at +4 °C short term (1-2 weeks). Store at -20 °C 12 months. Store at -

80 °C long term.


Note For research use only.

Data Image



Immunofluorescence

Immunofluorescent analysis of Hela cells, using Bcl-XL Antibody.




Immunohistochemical

Immunohistochemical analysis of paraffinembedded Human liver cancer, using the Antibody at 1:200 dilution.




Recombinant Proteins & Antibodies




Immunohistochemical

Immunohistochemical analysis of paraffinembedded human liver cancer, using Bcl-XL Antibody.



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.




Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Recombinant Proteins & Antibodies



All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.