

Anti-Phospho-JNK1/2/3 (T183 + T183 + T221) Antibody (R1C42)

Summary

Catalog No.	RHE45802
Clone ID	R1C42
Host species	Rabbit
Tested applications	FCM: 1:20-1:100, IF: 1:50-1:200, IHC: 1:100-1:200, IP: 1:20-1:50, WB: 1:1000-1:2000
Species reactivity	Human, Mouse, Rat
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.
Concentration	1 mg/ml
Purity	>95% by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG
Applications	FCM, IF, IHC, IP, WB
Target	JNK 46, JNK 55, MAPK10, MAPK9, MAPK8, SAPK1b, SAPK1, SAPK, PRKM10, PRKM9, PRKM8, p-JNK1/2/3 (T183/T183/T221)
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	P45983, P45984, P53779

Recombinant Proteins & Antibodies


Stability and Storage

Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Store at +4 °C short term (1-2 weeks). Store at -20 °C 12 months. Store at -80 °C long term.


Note

For research use only.

Data Image


Immunofluorescence

Immunofluorescent analysis of NIH/3T3 cells treated with Anisomycin, using Phospho-JNK1/2/3 (T183+T183+T221) Antibody.




Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human breast, using Phospho-JNK1/2/3 (T183+T183+T221) Antibody.




Western blot

All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.



Western blot

All lanes use the Antibody at 1:1K dilution for 1 hour at room temperature.



Western blot

Western blot analysis of JNK1/2/3 phosphorylation expression in NIH/3T3 cell lysate treated with Anisomycin.