

# Anti-TrkA/B/C Antibody (R1J66)

## Summary

---

<b>Catalog No.</b>	RHC09802
<b>Clone ID</b>	R1J66
<b>Host species</b>	Rabbit
<b>Tested applications</b>	IF: 1:50-1:200, IHC: 1:100-1:200, WB: 1:1000-1:2000
<b>Species reactivity</b>	Human, Mouse, Rat
<b>Form</b>	Liquid
<b>Storage buffer</b>	0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.
<b>Concentration</b>	1 mg/ml
<b>Purity</b>	>95% by SDS-PAGE.
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG
<b>Applications</b>	IF, IHC, WB
<b>Target</b>	Trk-A, High affinity nerve growth factor receptor, NTRK1, Tropomyosin-related kinase A, Neurotrophic tyrosine kinase receptor type 1, MTC, TRKA, Tyrosine kinase receptor, TRK, p140-TrkA, TRK1-transforming tyrosine kinase protein, gp140trk, Tyrosine kinase receptor A
<b>Purification</b>	Protein A/G purified from cell culture supernatant.
<b>Endotoxin level</b>	Please contact with the lab for this information.
<b>Accession</b>	P04629, Q16288, Q16620

**Stability and Storage**


Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4 °C for frequent use. Store at -20 °C for twelve months from the date of receipt.

**Note**

For research use only.


**Data Image**

---




Immunofluorescent analysis of Neuro-2a cells, using TrkA+B+C Antibody.

Immunofluorescence




Immunohistochemical analysis of paraffin-embedded mouse brain, using TrkA+B+C Antibody.

Immunohistochemical



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot

Western blot analysis of TrkA+B+C expression in Human fetal brain lysate.