

Anti-GART Antibody (R1R98)

Summary

Catalog No.	RHD50301
Clone ID	R1R98
Host species	Rabbit
Tested applications	IF: 1:50-1:200, IHC: 1:100-1:200, IP: 1:20-1:50, WB: 1:1000-1:2000
Species reactivity	Human, Mouse, Rat
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.
Concentration	1 mg/ml
Purity	>95% by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG
Applications	IF, IHC, IP, WB
Target	GAR transformylase, Trifunctional purine biosynthetic protein adenosine-3, PGFT, Glycinamide ribonucleotide synthetase, PRGS, Phosphoribosyl-aminoimidazole synthetase, GART, AIR synthase, Phosphoribosylglycinamide synthetase, AIRS, 5'-phosphoribosylglycinamide transformylase, GARS
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	P22102


Recombinant Proteins & Antibodies

Stability and Storage

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4 °C for frequent use. Store at -20 °C for twelve months from the date of receipt.


Note

For research use only.

Data Image


Immunohistochemical

Immunohistochemical analysis of paraffin-embedded human cervix cancer, using GART Antibody.




Western blot

Western blot analysis of GART expression in HeLa cell lysate.



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.