

Anti-Reticulon-4/RTN4/Nogo-A Antibody (R2L58)

Summary


Catalog No.	RHK06702
Clone ID	R2L58
Host species	Rabbit
Tested applications	FCM: 1:20-1:100, IF: 1:50-1:200, IHC: 1:100-1:200, IP: 1:20-1:50, WB: 1:1000-1:2000
Species reactivity	Human
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.
Concentration	1 mg/ml
Purity	>95% by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG
Applications	FCM, IF, IHC, IP, WB
Target	RTN-x, Reticulon-4, Neuroendocrine-specific protein, Neuroendocrine-specific protein C homolog, NOGO, Nogo protein, Neurite outgrowth inhibitor, NSP, Reticulon-5, KIAA0886, RTN4, Foocen
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	Q9NQC3

Stability and Storage

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4 °C for frequent use. Store at -20 °C for twelve months from the date of receipt.


Note

For research use only.

Data Image


Western blot

Western blot analysis of Nogo expression in HeLa cell lysate.



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.