

Anti-TAOK1 Antibody (R2M44)

Summary

Catalog No.	RHK55004
Clone ID	R2M44
Host species	Rabbit
Tested applications	WB: 1:1000-1:2000
Species reactivity	Human, Mouse, Rat
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.
Concentration	1 mg/ml
Purity	>95% by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG
Applications	WB
Target	MARK Kinase, Thousand and one amino acid protein kinase 1, TAOK1, KIAA1361, Prostate-derived sterile 20-like kinase 2, hKFC-B, Prostate-derived STE20-like kinase 2, PSK-2, MARKK, Kinase from chicken homolog B, Serine/threonine-protein kinase TAO1, hTAOK1, PSK2, MAP3K16
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	Q7L7X3


Stability and Storage

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4 °C for frequent use. Store at -20 °C for twelve months from the date of receipt.

Note


For research use only.

Data Image




Western blot

Western blot analysis of TAOK1 expression in (1) HeLa cell lysate; (2) RAW 264.7 cell lysate; (3) C6 cell lysate.



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.