

Anti-Phospho-TAOK1/2/3 (Ser181/Ser181/Ser177) Antibody (R2M46)

Summary


Catalog No.	RHK55002
Clone ID	R2M46
Host species	Rabbit
Tested applications	IHC: 1:50-1:100, WB: 1:500-1:1000
Species reactivity	Human, Mouse, Rat
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.
Concentration	1 mg/ml
Purity	>95% by SDS-PAGE.
Clonality	Monoclonal
Isotype	IgG
Applications	IHC, WB
Target	MARK Kinase, Thousand and one amino acid protein kinase 1, TAOK1, KIAA1361, Prostate-derived sterile 20-like kinase 2, hKFC-B, Prostate-derived STE20-like kinase 2, PSK-2, MARKK, Kinase from chicken homolog B, Serine/threonine-protein kinase TAO1, hTAOK1, PSK2, MAP3K16
Purification	Protein A/G purified from cell culture supernatant.
Endotoxin level	Please contact with the lab for this information.
Accession	Q7L7X3, Q9H2K8, Q9UL54

Stability and Storage

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4 °C for frequent use. Store at -20 °C for twelve months from the date of receipt.


Note

For research use only.

Data Image


Immunohistochemical

Immunohistochemistry analysis of paraffin-embedded Human tonsil using TAOK1 (Phospho-Ser181)/TAOK2 (Phospho-Ser181)/TAOK3 (Phospho-Ser177) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot

Western blot analysis of Phospho-TAOK1(Ser181)/TAOK2 (Ser181)/TAOK3 (Ser177) in 3T3 lysates using Phospho-TAOK1/2/3 (Ser181/Ser181/Ser177) antibody.



Western blot

Western blot analysis of TAOK1 (Phospho-Ser181)/TAOK2 (Phospho-Ser181)/TAOK3 (Phospho-Ser177) in Hela, A549, HL-60, U2OS, C6 lysates using TAOK1 (Phospho-Ser181)/TAOK2 (Phospho-Ser181)/TAOK3 (Phospho-Ser177) antibody.