

# Anti-PERP Antibody (R2N45)

## Summary

---


|                            |   |
|----------------------------|---|
| <b>Catalog No.</b>         | RHN04402  |
| <b>Clone ID</b>            | R2N45   |
| <b>Host species</b>        | Rabbit  |
| <b>Tested applications</b> | IF: 1:50-1:200, WB: 1:1000-1:2000   |
| <b>Species reactivity</b>  | Human, Mouse, Rat   |
| <b>Form</b>                | Liquid  |
| <b>Storage buffer</b>      | 0.01M PBS, pH 7.4, 0.05% BSA, 50% Glycerol, 0.05% Sodium azide.   |
| <b>Concentration</b>       | 1 mg/ml   |
| <b>Purity</b>              | >95% by SDS-PAGE.   |
| <b>Clonality</b>           | Monoclonal  |
| <b>Isotype</b>             | IgG   |
| <b>Applications</b>        | IF, WB  |
| <b>Target</b>              | p53 apoptosis effector related to PMP-22, PERP, THW, Transmembrane protein THW, P53-induced protein PIGPC1, KCP1, PIGPC1, KCP-1, Keratinocyte-associated protein 1, KRTCAP1 |
| <b>Purification</b>        | Protein A/G purified from cell culture supernatant.   |
| <b>Endotoxin level</b>     | Please contact with the lab for this information.   |
| <b>Accession</b>           | Q96FX8  |

**Stability and Storage**

Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 4 °C for frequent use. Store at -20 °C for twelve months from the date of receipt.


**Note**

For research use only.

**Data Image**


Western blot

Western blot analysis of PERP expression in A431 cell lysate.



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot

All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.