

## Anti-Human TSHR/LGR3 Antibody (M22)

## **Summary**

Catalog No. FHD18110

Clone ID M22

Host species Human

**Conjugation** Unconjugated

Species reactivity Human

Form Liquid

Storage buffer 0.01M PBS, pH 7.4.

Concentration 1 mg/ml

Purity >95% as determined by SDS-PAGE.

**Clonality** Monoclonal

Isotype IgG1

**Applications** FCM

Target Thyroid-stimulating hormone receptor, TSH-R, TSHR, Thyrotropin

receptor, LGR3

**Purification** Protein A/G purified from cell culture supernatant.

Endotoxin level Please contact with the lab for this information.

Accession P16473

Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Stability and Storage Store at 4°C short term (1-2 weeks). Store at -20°C 12 months. Store at -


80°C long term.




Note

For research use only.

## Data Image



Flow-cytometry



Flow-cytometry

Flow-cytometry using anti- human TSHR antibody. Human Jurkat cell line were stained with an irrelevant antibody (Green Histogram) or an antihuman TSHR antibody monoclonal antibody (Catalog # FHD18110, Red Histogram) at a concentration of 20 µg/ml for 30 mins at RT. After washing, bound antibody was detected using a FITC conjugated goat anti-human antibody (Catalog # PHB96441) and cells analysed on a NovoCyte Flow Cytometer.

Flow-cytometry using anti-human TSHR antibody.TSHR Transfected CHO cells were stained with an irrelevant antibody (Blue Histogram) or an anti-human TSHR antibody monoclonal antibody (Catalog # FHD18110, Green Histogram) at a concentration of 5 µg/ml for 30 mins at RT. After washing, bound antibody was detected using a FITC conjugated goat anti-human antibody (Catalog # PHB96441) and cells analysed on a NovoCyte Flow Cytometer.